



11000 West Park Place
Milwaukee, WI 53224
TEL 414 359-3060
FAX 414 359-3070
www.prarch.com

Milwaukee, WI ▸ Madison, WI ▸ Northbrook, IL



WAUSAU HOSPITAL

Peds Relocation



Aspirus Wausau Hospital
333 Pine Ridge Boulevard
Wausau, WI, 54401

Aspirus Wausau Hospital
Peds Relocation
PRA # 11022
11 March 2011

Drawing Index

Architectural	
000	Title Sheet
101	Partial Level 0 Demolition Plan, Notes
111	Partial Level 1 Demolition Plan, Notes
201	Partial Level 0 Floor Plan, Notes
211	Partial Level 1 Floor Plan, Notes
890	Project Notes, Room Finish Schedule & Notes and Door Schedule & Notes

Alternate Bid #1:
Provide pricing for new delayed egress magnetic lock & power supply at extg Vestibule door 0-546 on Level 0. Tie into extg fire alarm system, new smoke detector and new peds security (by others).

Project Information

Applicable Codes and Zoning
Wisconsin Enrolled Commercial Building Code 2006
Institutional occupancy, Group I-2
HSS Chapter 124 Hospitals, Lynn Wallace: Health Care Surveyor
NFPA 101 (2000) Chapter 18 - New Health Care Occupancies

Type of Construction
New Construction: Alteration
Type of Construction: Type IA / NFPA Type I (332)
Building is fully sprinklered

Building Area
Level 0 Alteration area: 500 Sq. Ft.
Level 1 Alteration area: 140 Sq. Ft.
Existing to remain: 271,078 Sq. Ft.

ADA Access Route
Building is fully accessible

Project Team

Mechanical/Plumbing/Electrical
ECI Engineering Concepts, Inc. Tel 262 547-6118
Fax 262 547-0817